
 USACE/STAR RST-09951R (March 2002)

Superseding
 STAR-09915R (Sept 2001)
 CEGS-09915R (June 1993)

GUIDE SPECIFICATION FOR CONSTRUCTION

Includes changes through Notice 2 (May 1995)
 Includes note relocation Special change (August 1995)
 Includes Text Adjustment Change 2 (Reference Paragraph)(September 1997)
 Includes Special Change (Submittal Paragraph)(June 2000)
 Specification revised to meet U.S. Army Reserve requirements (June 2001)
 Latest change indicated by CHG tags

SECTION TABLE OF CONTENTS

DIVISION 09 - FINISHES

SECTION 09915R

COLOR SCHEDULE

03/02

PART 1 GENERAL

- 1.1 GENERAL
- 1.2 SUBMITTALS

PART 2 PRODUCTS

- 2.1 REFERENCE TO MANUFACTURER'S COLOR
- 2.2 COLOR SCHEDULE
 - 2.2.1 Exterior Walls
 - 2.2.2 Exterior Trim
 - 2.2.3 Exterior Roof
 - 2.2.4 Interior Floor Finishes
 - 2.2.5 Interior Base Finishes
 - 2.2.6 Interior Wall Finishes
 - 2.2.7 Interior Ceiling Finishes
 - 2.2.8 Interior Trim
 - 2.2.9 Interior Window Treatment
 - 2.2.10 Interior Miscellaneous

PART 3 EXECUTION (Not Applicable)

-- End of Section Table of Contents --

 USACE/STAR RST-09951R (March 2002)

Superseding
 STAR-09915R (Sept 2001)
 CEGS-09915R (June 1993)

GUIDE SPECIFICATION FOR CONSTRUCTION

Includes changes through Notice 2 (May 1995)
 Includes note relocation Special change (August 1995)
 Includes Text Adjustment Change 2 (Reference Paragraph)(September 1997)
 Includes Special Change (Submittal Paragraph)(June 2000)
 Specification revised to meet U.S. Army Reserve requirements (June 2001)
 Latest change indicated by CHG tags

SECTION 09915R

COLOR SCHEDULE 03/02

NOTE: This guide specification covers the requirements for color of exterior and interior materials and products. This guide specification is to be used in the preparation of project specifications in accordance with ER 1110-1-8155.

Comments and suggestions on this guide specification are welcome and should be directed to the proponent of the specification. A listing of proponents, including their organization designation and telephone number, is at URL <http://www.hnd.usace.army.mil/techinfo/index.htm>, and an electronic feedback page for submission of recommended changes is available at the same address. Use of electronic communication is encouraged.

PART 1 GENERAL

1.1 GENERAL

This section covers only the color of the exterior and interior materials and products that are exposed to view in the finished construction. The word "color" as used herein includes surface color and pattern. Requirements for quality and method of installation are covered in other appropriate sections of the specifications. Specific locations where the

various materials are required are shown on the drawings. Items not designated for color in this section may be specified in other sections. When color is not designated for items, the Contractor shall propose a color for approval.

1.2 SUBMITTALS

NOTE: Submittals must be limited to those necessary for adequate quality control. The importance of an item in the project should be one of the primary factors in determining if a submittal for the item should be required.

Indicate submittal classification in the blank space following the name of the item requiring the submittal by using "G" when the submittal requires Government approval. Submittals not classified as "G" will show on the submittal register as "Information Only". For submittals requiring Government approval, a code of up to three characters should be used following the "G" designation to indicate the approving authority; codes of "RE" for Resident Engineer approval, "ED" for Engineering approval, and "AE" for Architect-Engineer approval are recommended.

Construction color boards are required for some Air Force facilities. Delete the color board requirements when not applicable. Item e - Add other addresses required to receive color boards. The submittal should be designated "FIO" since material sample approval is given in quality specifications.

Manufacturers products listed in this specification are referenced to establish a standard of quality. When the specific product listed is submitted by the Contractor, that submittal will be considered For Information Only. When an equal to that named in this specification is submitted, the submittal shall be for Government Approval (G). Government approval is required for submittals with a "G" designation; submittals not having a "G" designation are for information only. When used, a designation following the "G" designation identifies the office that will review the submittal for the Government. The following manufacturers are specifically mentioned in this specification: The following shall be submitted in accordance with Section 01330 SUBMITTAL PROCEDURES:

SD-04 Samples

Contractor Color board; FIO.

[2][_____] sets of Contractor color boards, [90][120][150][_____]

days after the Contractor is given Notice to proceed, complying with the following requirements:

- a. Contractor Color boards shall reflect all actual finish textures, patterns, and colors required for this contract.
- b. The Contractor shall use the project color boards created by the Designer of Record as a guideline in assembling the Contractor color boards.
- c. Contractor color boards shall be labeled to indicate the room functions where the samples shall be used.
- d. Materials shall be labeled with the finish type, manufacturer's name, pattern, and color reference.
- e. Samples shall be on [216 mm x 280 mm][8-1/2 by 11] inch boards with a maximum spread of [650 mm x 840 mm][25-1/2 by 33] inches for foldouts.
- f. Samples for the Contractor color board are required in addition to samples requested in other specification sections.
- g. Color boards shall be submitted to the following addresses:
[_____].
- h. Once the submitted Contractor color boards have been approved, and the Contractor desires to change any product, finish, texture, pattern, and/or color, the approved set of Contractor color boards shall be resubmitted with these changes for second Contractor submittal [_____][30] days prior to installation of any finishes, textures, patterns, colors, or product. The Contractor must have approval of the changes before proceeding to install any of the finishes, textures, patterns, colors, or product. These Contractor color boards shall be submitted in conjunction with the other specification sections product submittals.

Section 04200 Concrete Masonry Units

Glazed Concrete Masonry Unit

Trenwyth Industries, Inc.: Spectra-Glaze, Color: [# S-5 Heather][# S-5 Heather][# DA204 Champagne Beige A][# DA204 Champagne Beige A]
; FIO

One Connelly Road
P. O. Box 438
Emigsville, PA 17318
717-767-6868
800-233-1924
Fax: 717-767-4023
Web Site: <http://www.trenwyth.com>

Manuf. Product submitted as an "or equal"; G RE

Section 07412 Non-structural Standing Seam Metal Roofing System
American Buildings Company: Loc-Seam Profile, Color: [____]; FIO

1150 State Docks Road
Eufaula, AL 36027-3344
334-687-2032
888-307-4338
Web Site: <http://www.americanbuildings.com>

Butler Mfg. Co.: VSR Profile, Color: [____]; FIO

700 Karnes Blvd
P. O. Box 419917
Kansas City, MO 64141
816-968-3000
Fax: 816-968-3720
Web Site: <http://www.buttermfg.com>

SteelOx Systems Inc.: Panel 262 Profile LRX, Color: [____]; FIO

5412 Courseview Drive
P. O. Box 8181, Suite 300
Mason, OH 45040-8181
513-573-5200
Fax: 513-573-5299
Web Site: <http://www.steelox.com>

Merchant and Evans: Zip-Rib Profile, Color: [____]; IO

100 Connecticut Drive
Burlington, NJ 08016
609-387-3033
Fax: 690-387-4838
Web Site: <http://www.ziprib.com>

Manuf. Product submitted as an "or equal"; G AE

Section 08120 Aluminum Doors and Frames
Kawneer Company Inc.: Color: [____]; FIO

555 Guthridge Court
Norcross, GA 30092
770-449-5555
Fax: 770-734-1560
Web Site: <http://www.kawneer.com>

United States Aluminum Commercial Products Group: Color: [____];
FIO
200 Singleton Drive
Waxahachie, TX 75165
972-937-9651
Fax: 972-937-0405
Web Site: <http://www.usalum.com>

Vistawall Architectural Products: Color: [____]; FIO

P. O. Box 629
803 Airport Road
Terrell, TS 75160
972-551-6100

Manuf. Product submitted as an "or equal"; G AE

Section 08210 Wood Doors
[Manufacturer]: Pattern Name/Number: [____], Color Name/Number:
[____]; FIO

Manuf. Product submitted as an "or equal"; G AE

Section 08353 Accordion and Operable Partitions
Modernfold Inc.: Color: [____]; FIO
1711 "I" Avenue
New Castle, IN 47362
765-529-1450

Hufcor Inc.: Color: [____]; FIO
2101 Kennedy Road
P. O. Box 591
Janesville, WI 53547
608-756-1241

Holcomb & Hoke Mfg. Co. Inc.: FolDoor, Color: [____]; FIO
1545 Van Buren Street
Indianapolis, IN 46203
317-784-2444.

Manuf. Product submitted as an "or equal"; G AE

Section 08520 Aluminum Windows
EFCO Corporation: Color: [____]; FIO
1000 County Road
Monett, MO 65708
417-235-3193

Kawneer Company Inc.: Color: [____]; FIO
555 Guthridge Court
Norcross, GA 30092
770-449-5555

Wausau Window and Wall Systems: Color: [____]; FIO
1415 West Street
P. O. Box 1746
Wausau, WI 54401
715-845-2161

Manuf. Product submitted as an "or equal"; G AE

Section 08810 Glass and Glazing
Pilkington LOF: Color: [____]; FIO
811 Madison Avenue
P. O. Box 799
Toledo, OH 43695

PPG Industries, Inc.: Color: [____]; FIO
One PPG Place
Pittsburgh, PA 15272
888-774-7732

AFGD, Inc.: Color: [____]; FIO
1600 Parkwood Circle, Suite 300
Atlanta, GA 30339
800-766-2343

Manuf. Product submitted as an "or equal"; G AE

Section 09310 Ceramic Tile
Mosaic Tile American Olean Tile Co.: Color: [# A50 Bone][# A50 Bone][# A50 Bone][# A50 Bone]; FIO
7834 C. F. Hawn Freeway
Dallas, TX 75217
215-393-2237

Dal-Tile Corp.: Color: [____]; FIO
7834 C. F. Hawn Freeway
P. O. Box 17130
Dallas, TX 75217
214-398-4465

Monarch Ceramic Tile: Color: [____]; FIO
834 Richwood Road
Florence, AL 35630
972-725-3157

Manufacturer Product submitted as an "or equal"; G AE

Quarry Tile:
American Olean Tile Co., Inc., Color: [# U256 Pewter I][# U256 Pewter I][# U253 Hemp I][# U253 Hemp I]; FIO
7834 C. F. Hawn Freeway
Dallas, TX 75217
215-393-2237

Dal-Tile Corp., Color: [____]; FIO
7834 C. F. Hawn Freeway
P. O. Box 17130
Dallas, TX 75217
214-398-4465

Monarch Ceramic Tile: Color: [____]; FIO
834 Richwood Road

Florence, AL 35630
972-725-3157

Manuf. Product submitted as an "or equal"; G AE

Detectable Warning Tile
American Olean Tile Co., Inc., Color: [____]; FIO
7834 C. F. Hawn Freeway
Dallas, TX 75217
215-393-2237

Dal-Tile Corp., Color: [____]; FIO
7834 C. F. Hawn Freeway
P. O. Box 17130
Dallas, TX 75217
214-398-4465

Monarch Ceramic Tile: Color: [____]; FIO
834 Richwood Road
Florence, AL 35630
972-725-3157

Manuf. Product submitted as an "or equal"; G AE

Ceramic Base
American Olean Tile Co., Inc., Color: [# A50 Bone][# A50 Bone][#
A50 Bone][# A50 Bone]; FIO
7834 C. F. Hawn Freeway
Dallas, TX 75217
215-393-2237

Dal-Tile Corp.: Color: [____]; FIO
7834 C. F. Hawn Freeway
P. O. Box 17130
Dallas, TX 75217
214-398-4465

Monarch Ceramic Tile: Color: [____]; FIO
834 Richwood Road
Florence, AL 35630
972-725-3157

Manuf. Product submitted as an "or equal"; G AE

Wall Tile
American Olean Tile Co., Inc., Color: [# 13 Classic Bone][# 13
Classic Bone][# 13 Classic Bone][# 13 Classic Bone]; FIO
7834 C. F. Hawn Freeway
Dallas, TX 75217
215-393-2237

Dal-Tile Corp. Color: [____]; FIO
7834 C. F. Hawn Freeway
P. O. Box 17130

Dallas, TX 75217
214-398-4465

Monarch Ceramic Tile: Color: [____]; FIO
834 Richwood Road
Florence, AL 35630
972-725-3157

Manuf. Product submitted as an "or equal"; G AE

Accessories
American Olean Tile Co., Inc., Color: [# A50 Bone][# A50 Bone][#
A50 Bone][# A50 Bone]; FIO
7834 C. F. Hawn Freeway
Dallas, TX 75217
215-393-2237

Dal-Tile Corp., Color: [____]; FIO
7834 C. F. Hawn Freeway
P. O. Box 17130
Dallas, TX 75217
214-398-4465

Monarch Ceramic Tile: Color: [____]; FIO
834 Richwood Road
Florence, AL 35630
972-725-3157

Manuf. Product submitted as an "or equal"; G AE

Mortar, Grout and Adhesive
Bostik Construction Products, Div. Product: Hydroment, Color:
[____]; FIO
211 Boston Street
Middleton, MA 01949
978-777-0100

Laticrete International, Inc., Color: [____]; FIO
1 Laticrete Park, North
Bethany, CT 06524
203-393-0010

Mapei Corporation, Color: [____]; FIO
1501 Wall Street
Garland, TX 75041
972-271-9500

Manuf. Product submitted as an "or equal"; G AE

Section 09510 Acoustical Ceiling
Armstrong World Industries, Inc., Ceiling & Ceiling Systems Div.:
Acoustical Units Product Line: [____], Color: [____], Suspension
Systems Color: [____]; FIO
P. O. Box 3001

Lancaster, PA 177-4
717-397-0611

Chicago Metallic Corporation: Acoustical Units Product Line:
[____], Color: [____], Suspension Systems Color: [____], FIO
4849 South Austin Avenue
Chicago, IL 60638
708-563-4600

USG Interiors, Inc.: Acoustical Units Product Line: [____],
Color: [____], Suspension Systems Color: [____]; FIO
125 South Franklin
P. O. Box 4470
Chicago, IL 60608
800-874-4968

Manuf. Product submitted as an "or equal"; G AE

Section 09620 Resilient Athletic Flooring
Rubber Composition Tile Type
[Manufacturer]: Pattern Name/Number: [____], Color Name/Number:
[____]; FIO

Manuf. Product submitted as an "or equal"; G AE

Section 09650 Resilient Flooring
Vinyl Composition Tile
Mannington Mills, Inc.: [Product Line: Inspirations, Color: # 406
Peach Medley] [Product Line: Inspirations, Color: # 401 White
Multiflec] [Product Line: Essentials, Color: # 127 Warm
Beige] [Product Line: Essentials, Color: # 131 Oyster White]; IO
Mannington Mills Road
Salem, NJ 08079
609-935-3000

Armstrong World Industries, Inc., Commercial Flooring: Product
Line: [____], Color: [____]; FIO
P. O. Box 3001
Lancaster, PA 17604
717-397-0611

Azrock Commercial Flooring: Product Line: [____], Color: [____];
FIO
P. O. Box 354
Florence, AL 35630
256-766-0234

Manuf. Product submitted as an "or equal"; G AE

Rubber Base
Marley Flexco: Color: [# WF-030 Meridian Bone][# WF-030 Meridian
Bone][# WF-030 Meridian Bone][WF-030 Meridian]; FIO
East 6th Street

P. O. Box 553
Tuscumbia, AL 35674
256-383-7474

Roppe Corporation: Color: [____]: FIO
P. O. Box X
1602 North Union Street
Fostoria, OH 44830
800-537-9527

Johnsonite Inc.: Color: [____]; FIO
16910 Munn Road
Chargin Falls, OH 44122
800-899-8916

Manuf. Product submitted as an "or equal"; G AE

Rubber Tile
Marley Flexco: Color: [____]: FIO
East 6th Street
P. O. Box 553
Tuscumbia, AL 35674
256-383-7474

Roppe Corporation: Color: [____]: FIO
P. O. Box X
1602 North Union Street
Fostoria, OH 44830
800-537-9527

Johnsonite Inc.: Color: [____]; FIO
16910 Munn Road
Chargin Falls, OH 44122
800-899-8916

Manuf. Product submitted as an "or equal"; G AE

Rubber Stair Treads, Risers, and Stringers
Marley Flexco: Color: [____]: FIO
East 6th Street
P. O. Box 553
Tuscumbia, AL 35674
256-383-7474

Roppe Corporation: Color: [____]: FIO
P. O. Box X
1602 North Union Street
Fostoria, OH 44830
800-537-9527

Johnsonite Inc.: Color: [____]; FIO
16910 Munn Road
Chargin Falls, OH 44122
800-899-8916

Manufacturer Product submitted as an "or equal"; G AE

Accessories, Edge Strips
Johnsonite Inc.: Color: [____]; FIO
16910 Munn Road
Chargin Falls, OH 44122
800-899-8916

Manuf. Product submitted as an "or equal"; G AE

Accessories, Transition Strips
Johnsonite Inc.: Color: [____]; FIO
16910 Munn Road
Chargin Falls, OH 44122
800-899-8916

Manuf. Product submitted as an "or equal"; G AE

Section 09660 Conductive Flooring
VPI Floor Products: Product Line: [____], Color: [____]; FIO
3123 South 9th Street
P. O. Box 451
Sheboygan, WI 53081
920-458-4664

Manuf. Product submitted as an "or equal"; G AE

Section 09680 Carpet
Carpet Tile
Collins & Aikman Floor Coverings: Product Line for CPT-1:
Infinity, Style #5849, Color: [# 55017 Herb Garden][# 55020 Gem
Stone][# 55011 Winter Frost][# 55001 Oriental Rug]; FIO
311 Smith Industrial Blvd.
Dalton, GA 30720
706-259-9711

Collins & Aikman Floor Coverings: Product Line for CPT-2: Plexus
Accent II, Style #5112, Color: [# 60009 Peacock][# 60015 Navy][#
60005 Ginger][# 60019 Claret]; FIO
311 Smith Industrial Blvd.
Dalton, GA 30720
706-259-9711

Manuf. Product submitted as an "or equal"; G AE

6 Foot Rollgoods Carpet
Collins & Aikman Floor Coverings: Product Line for CPT-1:
Infinity, Mark II, Style 5849, Color: [# 55017 Herb Garden][#
55020 Gem Stone][# 55011 Winter Frost][# 55001 Oriental Rug]: FIO
311 Smith Industrial Blvd.
Dalton, GA 30720
706-259-9711

Collins & Aikman Floor Coverings: Product Line for CPT-2: Plexus
 Accents II, Mark II, Style # 5112, Color: [# 60009 Peacock][#
 60015 Navy][# 60005 Ginger][# 60019 Claret]; FIO
 311 Smith Industrial Blvd.
 Dalton, GA 30720
 706-259-9711

Manuf. Product submitted as an "or equal"; G AE

Section 09697 Walk-Off Mats
 Construction Specialties, Inc.: Recessed Carpet Pedimat Model:
 [____], Color Name/Number: [____]; FIO
 49 Meeker Avenue
 Cranford, NJ 07016
 908-272-5200

Manuf. Product submitted as an "or equal"; G AE

Section 09720 Wall Coverings
 Vinyl Wallcovering
 [Manufacturer]: Pattern Name/Number: [____], Color Name/Number:
 [____]; FIO

Manuf. Product submitted as an "or equal"; G AE

Fabric Wallcovering
 [Manufacturer]: Pattern Name/Number: [____], Color Name/Number:
 [____]; FIO

Manuf. Product submitted as an "or equal"; G AE

Acoustical Wallcovering
 [Manufacturer]: Pattern Name/Number: [____], Color Name/Number:
 [____]; FIO

Manuf. Product submitted as an "or equal"; G AE

Section 09840, Acoustical Wall Treatment
 Tectum Inc.: Product Line: [____], Fabric Pattern: [____],
 Color: [____]; FIO
 105 South Sixth Street
 P. O. Box 920
 Newark, OH 43055
 740-345-9691

Manuf. Product submitted as an "or equal"; G AE

Section 09900 Painting, General
 Paint
 The Sherwin-Williams Company:
 Color: PNT-1 [# 1094 Kestrel White][# 1011 Minimal White][# 1102
 Chenille White][# 1031 Modern Gray]:FIO
 Color: PNT-2 [# 1197 Tempting Teal][# 1225 Blue Heron][# 1344
 Fortune Cookie][# 1310 Chic Peach]; FIO

Color: PNT-3 [# 1476 Truly Teal][# 1525 Regalia Blue][# 1350
Copper Bangle][# 1294 Cabernet];Color: PNT-[_][____]; FIO
101 Prospect Avenue
10 Midland Building
Cleveland, OH 44115
216-566-2000

Devoe Paint:
Color: PNT-1 [____]; IO
Color: PNT-2 [____]; FIO
Color: PNT-3 [____]; FIO
Color: PNT-[_][____]; FIO
925 Euclid Avenue
Cleveland, OH 44115
216-344-8532

The Glidden Company:
Color: PNT-1 [____]; IO
Color: PNT-2 [____]; FIO
Color: PNT-3 [____]; FIO
Color: PNT-[_][____]; FIO
925 Euclid Avenue
Cleveland, OH 44115
216-344-8222

Manuf. Product submitted as an "or equal"; G AE

Transparent Finishes
The Sherwin-Williams Company: Color: [____]; FIO
101 Prospect Avenue
10 Midland Building
Cleveland, OH 44115
216-566-2000

Devoe Paint: Color: [____]; FIO
925 Euclid Avenue
Cleveland, OH 44115
216-344-8532

The Glidden Company: Color: [____]; FIO
925 Euclid Avenue
Cleveland, OH 44115
216-344-8222

Manuf. Product submitted as an "or equal"; G AE

Stain
The Sherwin-Williams Company: Color: [____]; FIO
101 Prospect Avenue
10 Midland Building
Cleveland, OH 44115
216-566-2000

Devoe Paint: Color: [____]; FIO

925 Euclid Avenue
Cleveland, OH 44115
216-344-8532

The Glidden Company: Color: [____]; FIO
925 Euclid Avenue
Cleveland, OH 44115
216-344-8222

Manuf. Product submitted as an "or equal"; G AE

Section 10100 Visual Communication Specialties
Markerboard
Claridge Products and Equipment, Inc.: Product: LCS Writing
System, Color: [White]; FIO
Trim, Chalkrail, and Accessories Finish: [Mill finish natural
aluminum]; FIO
P. O. Box 910
601 Highway 62-65 South
Harrison, AR 72602
870-743-2200

Nelson Adams/GSI: Greensteel: Product: Dry Markerboard, Color:
[White]; FIO
Trim, Chalkrail, and Accessories Finish: [Mill finish natural
aluminum]; FIO
180 North Sherman Avenue
Corona, CA 91720
909-340-2800

Carolina Chalkboard: Product: Vitraseel Dry Markerboard, Color:
[White]; FIO
Trim, Chalkrail, and Accessories Finish: [Mill finish natural
aluminum]; FIO
P. O. Box 137
110 North Upright Street
Landis, NC 28088
704-857-6102

Manuf. Product submitted as an "or equal"; G AE

Tackboards
Claridge Products and Equipment, Inc.: Cork Surface Color:
[Natural light brown cork]; FIO
Trim, Chalkrail, and Accessories Finish: [Mill finish natural
aluminum]; IO
P. O. Box 910
601 Highway 62-65 South
Harrison, AR 72602
870-743-2200

Nelson Adams/GSI: Greensteel: Cork Surface Color: [Natural light
brown cork]; FIO
Trim, Chalkrail, and Accessories Finish: [Mill finish natural

aluminum]; IO
 180 North Sherman Avenue
 Cororna, CA 91720
 909-340-2800

Carolina Chalkboard: Cork Surface Color: [Natural light brown cork]
 ; FIO
 Trim, Chalkrail, and Accessories Finish: [Mill finish natural
 aluminum]; FIO
 P. O. Box 137
 110 North Upright Street
 Landis, NC 28088
 704-857-6102

Manuf. Product submitted as an "or equal"; G AE

Map and display rail.
 Claridge Products and Equipment, Inc.: Cork Surface Color:
 [Natural light brown cork]; FIO
 Trim, Chalkrail, and Accessories Finish: [Mill finish natural
 aluminum]; FIO
 P. O. Box 910
 601 Highway 62-65 South
 Harrison, AR 72602
 870-743-2200

Nelson Adams/GSI: Greensteel: Cork Surface Color: [Natural light
 brown cork]; FIO
 Trim, Chalkrail, and Accessories Finish: [Mill finish natural
 aluminum]; FIO
 180 North Sherman Avenue
 Cororna, CA 91720
 909-340-2800

Carolina Chalkboard: Cork Surface Color: [Natural light brown cork]
 ; FIO
 Trim, Chalkrail, and Accessories Finish: [Mill finish natural
 aluminum]; FIO
 P. O. Box 137
 110 North Upright Street
 Landis, NC 28088
 704-857-6102

Manuf. Product submitted as an "or equal"; G AE

Section 10106 Recessed Display Cases
 Claridge Products and Equipment Inc.: Product: No. 374 and 376
 Recessed Case, Finish/Color: [Bronze color anodized finish],
 Fabric Color: [_____]; FIO
 P. O. Box 910
 601 Highway 62-65 South
 Harrison, AR 72602
 870-743-2200

Nelson Adams/GSI: Greensteel: Product: NX Series Sliding Door
 Display Case, Finish/Color: [Bronze color anodized finish], Fabric
 Color: [____]; FIO
 180 North Sherman Avenue
 Cororna, CA 91720
 909-340-2800

Lemco Inc.: Product: Model "TCR" Recessed Display Case,
 Finish/Color: [Bronze color anodized finish], Fabric Color: [____]
 ; FIO
 5970 West Dannon Way
 West Jordan, UT 84088
 801-280-4000

Manuf. Product submitted as an "or equal"; G AE

Section 10160 Toilet Partitions and Vanity
 Toilet Partitions
 Comtec Industries, Product Line: [____], Color: [____]; FIO
 801 Corey Street
 Moosic, PA 18507
 570-348-0997

Capitol Partitions, Product Line: [____], Color: [____]; FIO
 9199 Red Branch Road
 Columbia, MD 21045
 410-740-8870

Santana, Product Inc.: Product Line: [____], Color: [____]; FIO
 P.O. Box 2021
 Scranton, PA. 18501
 800-368-5002

Manuf. Product submitted as an "or equal"; G AE

Vanity
 Comtec Industries, Product Line: [____], Color: [____]; FIO
 801 Corey Street
 Moosic, PA 18507
 570-348-0997

Capitol Partitions, Product Line: [____], Color: [____]; FIO
 9199 Red Branch Road
 Columbia, MD 21045
 410-740-8870

Santana, Product Inc.: Product Line: [____], Color: [____]; FIO
 P.O. Box 2021
 Scranton, PA. 18501
 800-368-5002

Manuf. Product submitted as an "or equal"; G AE

Section 10260 Wall and Corner Protection

Corner Guards

Construction Specialties, Inc.: Acrovyn Corner Guards Model:
[____], Color Name/Number: [____]; FIO
49 Meeker Avenue
Cranford, NJ 07016
908-272-5200

Manuf. Product submitted as an "or equal"; G AE

Wall Guards (Bumper Guards)

Construction Specialties, Inc.: Acrovyn Bumper Guards Model:
[____], Color Name/Number: [____]; FIO
49 Meeker Avenue
Cranford, NJ 07016
908-272-5200

Manuf. Product submitted as an "or equal"; G AE

Door Protectors

[Manufacturer]: Pattern Name/Number: [____], Color Name/Number:
[____]; FIO

Manuf. Product submitted as an "or equal"; G AE

Section 10430 Exterior Signage

Panel and Post/Panel Type Signs

ASI Sign Systems, Inc.: Colors/Finish: Letters/Graphics [____],
Background [____], Post [____]; FIO
3890 West Northwest Hwy, Suite 102
The Plaza on Bachman Creek
Dallas, TX 75220
214-352-9140

Interface Architectural Signage: Colors/Finish: Letters/Graphics
[____], Background [____], Post [____]; FIO
5320 Webb Parkway
Lilburn, Georgia 30247
770-921-5566

APCO Graphics: Colors/Finish: Letters/Graphics [____], Background
[____], Post [____]; FIO
388 Grant Street S.E.
Atlanta, GA 30312
404-688-9000

Manuf. Product submitted as an "or equal"; G RE

Dimensional Building Letters

ASI Sign Systems, Inc.: Colors/Finish: [____]; FIO
3890 West Northwest Hwy, Suite 102
The Plaza on Bachman Creek
Dallas, TX 75220
214-352-9140

Interface Architectural Signage: Colors/Finish: [____]; FIO

5320 Webb Parkway
 Lilburn, Georgia 30247
 770-921-5566

APCO Graphics: Colors/Finish: [____]; FIO
 388 Grant Street S.E.
 Atlanta, GA 30312
 404-688-9000

Manuf. Product submitted as an "or equal"; G RE

Section 10440 Interior Signage
 Room Identification/Directional Signage System
 ASI Sign Systems, Inc.: Product Line: [____], Colors:
 Letters/Graphics [____], Insert [____], Background [____]; FIO
 3890 West Northwest Hwy, Suite 102
 The Plaza on Bachman Creek
 Dallas, TX 75220
 214-352-9140

Interface Architectural Signage: Product Line: [____], Colors:
 Letters/Graphics [____], Insert [____], Background [____]; FIO
 5320 Webb Parkway
 Lilburn, Georgia 30247
 770-921-5566

APCO Graphics: Product Line: [____], Colors: Letters/Graphics
 [____], Insert [____], Background [____]; FIO
 388 Grant Street S.E.
 Atlanta, GA 30312
 404-688-9000

Manuf. Product submitted as an "or equal"; G RE

Building Directories
 ASI Sign Systems, Inc.: Product Line: [____], Finish/Colors:
 Frame [____], Letters/Graphics [____], Insert [____],
 Background [____]; FIO
 3890 West Northwest Hwy, Suite 102
 The Plaza on Bachman Creek
 Dallas, TX 75220
 214-352-9140

Interface Architectural Signage: Product Line: [____],
 Finish/Colors: Frame [____], Letters/Graphics [____], Insert
 [____], Background [____]; FIO
 5320 Webb Parkway
 Lilburn, Georgia 30247
 770-921-5566

APCO Graphics: Product Line: [____], Finish/Colors: Frame
 [____], Letters/Graphics [____], Insert [____], Background
 [____]; FIO
 388 Grant Street S.E.

Atlanta, GA 30312
404-688-9000

Manuf. Product submitted as an "or equal"; G RE

Dimensional Building Letters
ASI Sign Systems, Inc.: Colors/Finish: [____]; FIO
3890 West Northwest Hwy, Suite 102
The Plaza on Bachman Creek
Dallas, TX 75220
214-352-9140

Interface Architectural Signage: Colors/Finish: [____]; FIO
5320 Webb Parkway
Lilburn, Georgia 30247
770-921-5566

APCO Graphics: Colors/Finish: [____]; FIO
388 Grant Street S.E.
Atlanta, GA 30312
404-688-9000

Manuf. Product submitted as an "or equal"; G RE

Section 10508 Metal Wardrobe Lockers and Bench Seat
Metal Wardrobe Lockers
The Interior Medart Inc.: Product/Model: [____], Color: [____];
FIO
P.O. Box 658,
Greenwood, MS 38930
800-647-7155

List Industries Inc.: Product/Model: [____], Color: [____]; FIO
PO Box 9601
401 N. W. 12th Avenue
Deerfield Beach, FL 33442
945-429-9155
800-776-1342
Fax: 945-428-3843
<http://www.listindustries.com>

Republic Storage Systems Co. Inc.: Product/Model: [____], Color:
[____]; FIO
1038 Belden Avenue N.E.
Canton, Ohio 44705
800-447-1255

Manuf. Product submitted as an "or equal"; G AE

Bench Seat
The Interior Medart Inc.: Product/Model: [____], Pedestal Color:
[____], Wood Stain: [____]; FIO
P.O. Box 658,

Greenwood, MS 38930
800-647-7155

List Industries Inc.: Product/Model: [____], Pedestal Color:
[____], Wood Stain: [____]; FIO
PO Box 9601
401 N. W. 12th Avenue
Deerfield Beach, FL 33442
945-429-9155
800-776-1342
Fax: 945-428-3843
<http://www.listindustries.com>

Republic Storage Systems Co. Inc.: Product/Model: [____],
Pedestal Color: [____], Wood Stain: [____]; FIO
1038 Belden Avenue N.E.
Canton, Ohio 44705
800-447-1255

Manuf. Product submitted as an "or equal"; G AE

Section 10530 Miscellaneous Specialties
Mail Boxes
Auth-Florence Manuf.: Product/Model: [1 unit], [2 unit] 1500-74
with 1503 sized doors, Color: Anodized Bronze; FIO
591 Mitchell Road
Glendale Heights, IL 60139
630-545-1784

Manufacturer Product submitted as an "or equal"; G RE

[Other Miscellaneous Specialties]
[Manufacturer]: Product/Model: [____], Color: [____]; FIO

Manuf. Product submitted as an "or equal"; G RE

Section 11134 Projection Screens (Manually Operated)
Da-Lite Screen Co. Inc.: Model: "C", Color: [Matte White]; FIO
P. O. Box 137
3100 North Detroit Street
Warsaw, IN 46581
219-267-8101
800-622-3737
Fax: 219-267-7804
Web Site: <http://www.da-lite.com>

Draper Inc.: Model: Luma 2 Screen, Color: [Matte White]; FIO
P. O. Box 425
411 South Pearl
Spiceland, IN 47385
765-987-7999
800-238-7999

Fax: 765-987-7142
 Web Site: <http://www.draperinc.com>

Stewart Filmscreen Corp.: Model: Ultramatte 200, Color: [Matte White]; FIO
 1161 West Sepulveda Blvd.
 Torrance, CA 90502
 310-784-5300
 800-762-4999
 Fax: 310-326-6870
 Web Site: <http://www.stewartfilm.com>

Manuf. Product submitted as an "or equal"; G AE

Section 12490 Window Treatment
 Horizontal Window Blinds
 [Manufacturer]: Product Line: [____], Color: Slat: [____],
 Control Wand: [____]; FIO

Manuf. Product submitted as an "or equal"; G AE

Vertical Blinds
 [Manufacturer]: Product Line: [____], Louver Pattern Name/Number:
 [____], Color Name/Number: [____]; FIO

Manuf. Product submitted as an "or equal"; G AE

PART 2 PRODUCTS

2.1 REFERENCE TO MANUFACTURER'S COLOR

NOTE: Where manufacturer's items are referenced for color, check to ensure that the referenced item complies with the appropriate quality standards specified in other Sections.

Where color is shown as being specific to one manufacturer, an equivalent color by another manufacturer may be submitted for approval. Manufacturers and materials specified are not intended to limit the selection of equal colors from other manufacturers.

2.2 COLOR SCHEDULE

NOTE: The materials and items contained in this specification are not intended to limit selections of materials to a specific product. Additional materials may be added to the specification. If the designer specifies other manufacturers and products, the manufacturers and the products shall be selected

to maintain an equal quality to those products listed. Items not pertaining to the project will be deleted by the designer. Include applicable mechanical and electrical items that have an impact on the aesthetics of a facility. These may include the following exterior items: diesel generator sets, transformers, exhaust fans, and condensing units. Interior considerations may include computer room air conditioners (CRAC units), exhaust grilles, fan coil units, fin tube/convector, and sprinkler heads. Eliminate trim items not requiring painting (example: stainless access panels). Add exterior paving materials such as pavers and integrally colored CMU when utilized.

When this specification is utilized, reference will be made in applicable guide specifications clarifying that "color will be as specified in Section 09915 COLOR SCHEDULE."

Color references indicated after finishes shown in paragraph COLOR SCHEDULE should include the manufacturer, pattern name (when applicable), and color name of the finish (example: Vinyl Composition Tile: XYZ Co., Pattern Stonegate, Color Tourmaline). The Color Schedule may contain a reference to another specification section where the color is designated. (example: Signage: See Section 10440 INTERIOR SIGNAGE for color).

The designer is to utilize this section together with the Room Finish Schedule, the Exterior Color Schedule, the Interior Color Schedule and the Special Item Schedule Drawing(s). The designer must include a statement on the Room Finish Schedule, the Exterior Color Schedule, the Interior Color Schedule and the Special Item Schedule Drawing(s) clarifying that "If there are any discrepancies between the Room Finish Schedule, the Exterior Color Schedule, the Interior Color Schedule and the Special Item Schedule Drawing(s) and Specification Section 09915 COLOR SCHEDULE, color designations shall be as indicated in Section 09915 COLOR SCHEDULE." Section 09915 is utilized to specify a manufacturer's reference for all exterior and interior finishes in the following manner: Carpet CPT-1: XYZ Co., pattern Pebbleweave, color DF506-204 Vienna Woods. The designer should then include a statement that the placement of flooring, base, wall, and ceiling finishes shall be shown on the Room Finish Schedule on the drawings. Room Finishes plan drawings may be used to clearly indicate where finishes shall be placed.

The following is a list of products and manufacturers currently being used in Army Reserve projects. These products are being used to indicate the quality level acceptable to the Army Reserve along with the individual specification sections. Other products and manufacturers of equal or higher quality may be used as long as they meet the individual specifications. For products of higher quality, the appropriate specification sections will need to be edited to reflect the products selected for use in individual projects. The designer may copy and paste from this list into the appropriate topics below. Add additional finishes or products in a like manner for finishes or products not already included in the specification. Edit and add appropriate specification sections as needed to address the additional products added to the individual project. It is highly suggested that this specification list be edited to reflect the individual project, and then a copy of the finishes/products be used to create the Exterior Color, Interior Color and Special Items Schedules in the drawings. The specification section numbers have been included for the designer's convenience and reference.

Please report any discontinued products included in this list to Louisville District. Please include complete information for the products used as replacement products when reporting discontinued products.

This section does not cover the quality of finish materials.

The color schedule lists the colors, patterns and textures required for exterior and interior finishes, including both factory applied and field applied colors.

2.2.1 Exterior Walls

Exterior wall colors shall apply to exterior wall surfaces including recesses at entrances and projecting vestibules. Conduit shall be painted to closely match the adjacent surface color. Wall color shall be provided to match the colors listed below.

- a. Brick: [_____].
- b. Mortar: [_____].
- c. Paint: [_____].
- d. Concrete Masonry Units (Integrally Colored): [_____].

- e. Metal Wall Panels, Hardware, and Associated Trim: [_____].
- f. Insulation and Finish System: [_____].
- g. Precast Concrete: [_____].
- h. Glass and Glazing: [_____].

2.2.2 Exterior Trim

Exterior trim shall be provided to match the colors listed below.

- a. Doors and Door Frames: [_____].
- b. Windows (mullion, muntin, sash, trim, and sill): [_____].
- c. Wood Stain: [_____].
- d. Fascia: [_____].
- e. Downspouts, Gutter, Louvers, and Flashings: [_____].
- f. Handrails: [_____].
- g. Soffits and Ceilings: [_____].
- h. Signage: [_____].
- i. Overhangs: [_____].
- j. Caulking and Sealants: [_____].

2.2.3 Exterior Roof

Roof color shall apply to exterior roof surfaces including sheet metal flashings and copings, mechanical units, roof trim, pipes, conduits, electrical appurtenances, and similar items. Roof color shall be provided to match the colors listed below.

- a. Metal: [_____].
- b. Shingles: [_____].
- c. EPDM: [_____].

2.2.4 Interior Floor Finishes

Flooring materials shall be provided to match the colors listed below.

- a. Carpet: [_____].
- b. Carpet Tile: [_____].

- c. Vinyl Composition Tile: [_____].
- d. Sheet Vinyl: [_____].
- e. Raised Pattern Rubber Tile: [_____].
- f. Stair Treads, Kick Strips, and Risers: [_____].
- g. Quarry Tile: [_____].
- h. Ceramic Tile: [_____].
- i. Porcelain Tile: [_____].
- j. Grout: [_____].
- k. Plastic Laminate: [_____].
- l. Wood: [_____].
- m. Static [Dissipative] [Conductive] Tile: [_____].
- n. Concrete: [_____].

2.2.5 Interior Base Finishes

Base materials shall be provided to match the colors listed below.

- a. Resilient Base and Edge Strips: [_____].
- b. Quarry Tile: [_____].
- c. Ceramic Tile: [_____].
- d. Porcelain Tile: [_____].
- e. Grout: [_____].
- f. Coved Sheet Vinyl: [_____].
- g. Glazed Structural Units: [_____].
- h. Prefaced Concrete Masonry Units: [_____].
- i. Brick: [_____].
- j. Mortar: [_____].
- k. Painted: [_____].
- l. Wood: [_____].

2.2.6 Interior Wall Finishes

Interior wall color shall apply to the entire wall surface, including reveals, vertical furred spaces, grilles, diffusers, electrical and access panels, and piping and conduit adjacent to wall surfaces unless otherwise specified. Items not specified in other paragraphs shall be painted to match adjacent wall surface. Wall materials shall be provided to match the colors listed below.

- a. Paint: [_____].
- b. Vinyl Wall Covering: [_____].
- c. Fabric Wall Covering: [_____].
- d. Ceramic Tile: [_____].
- e. Ceramic Tile Grout: [_____].
- f. Acoustical Wall Covering: [_____].
- g. Brick: [_____].
- h. Metal Liner Panels: [_____].
- i. Glazed Structural Units: [_____].
- j. Prefaced Concrete Masonry Units: [_____].
- k. Mortar: [_____].
- l. Columns: [_____].

2.2.7 Interior Ceiling Finishes

Ceiling colors shall apply to ceiling surfaces including soffits, furred down areas, grilles, diffusers, registers, and access panels. Ceiling color shall also apply to joist, underside of roof deck, and conduit and piping where joists and deck are exposed and required to be painted. Ceiling materials shall be provided to match the colors listed below.

- a. Acoustical Tile and Grid: [_____].
- b. Paint: [_____].
- c. Structural Framing: [_____].
- d. Metal Deck: [_____].

2.2.8 Interior Trim

Interior trim shall be provided to match the colors listed below.

- a. Doors: [_____].
- b. Door Frames: [_____].

- c. Windows (mullion, muntin, sash, trim, and stool): [_____].
- d. Window Sills: [_____].
- e. Fire Extinguisher Cabinets: [_____].
- f. Handrails: [_____].
- g. Ladders: [_____].
- h. Metal Stairs: [_____].
- i. Wood Stain: [_____].

2.2.9 Interior Window Treatment

Window treatments shall be provided to match the colors listed below.

- a. Horizontal Blinds: [_____].
- b. Vertical Blinds: [_____].
- c. Integral Blinds: [_____].
- d. Drapery Hardware: [_____].

2.2.10 Interior Miscellaneous

Miscellaneous items shall be provided to match the colors listed below.

- a. Toilet Partitions and Urinal Screen: [_____].
- b. Plastic Laminate: [_____].
- c. Signage Message Color (excluding handicapped signage): [_____].
- d. Signage Background Color (excluding handicapped signage): [_____].
- e. Lockers: [_____].
- f. Operable Partitions: [_____].
- g. Corner Guards: [_____].
- h. Wall Switch Handles and Standard Receptacle Bodies: [_____].
- i. Electrical Device Cover Plates and Panels: [_____].
- j. Casework: [_____].
- k. Shower Curtain: [_____].

PART 3 EXECUTION (Not Applicable)

-- End of Section --